

Part No. TSPL55GAD & TSPL275GAL (Liquid)

Print Date: 19/03/2019 Revision Date: 3/19/2019 Supersedes Date: 2/21/2019 Issue Date: 3/26/2013 Version: 3.0 (EN)-US

Trick Shot - Liquid

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1 - IDENTIFICATION

1.1 Product Identifier

Product Name : Trick Shot - Liquid

Manufacturer Product Number: TSPL55GAD & TSPL275GALOther Manufacturer Ids: 55 Gallon Drum & 275 Gallon Tote

1.2 Other Means of Identification

Other Identifiers : 100% Biodegradable Methyl Soyate Plus.

1.3 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use : High performance penetrating lubricant that unlocks seized parts, prevents & breaks rust loose, fights

corrosion, lubricates, protects, and removes adhesives, grim, tar.

Restrictions on Use : None Identified

1.4 Supplier Details

	Manufacturer Details	Supplier Details
Company Name :	GRIZ ROCK, LLC	STAAR Lubricants, LLC
Address :	560 Myrtle Street, Reynoldsville, PA 15851	560 Myrtle Street, Reynoldsville, PA 15851
Phone Number :	914-612-2115	814-612-2115
Fax Number :	814-612-2059	814-612-2059
Email :		
Website :		staarlubricants.com

1.5 24 hr Emergency Phone Number

Emergency Number : 1-800-255-3924

Chem-Tel

SECTION 2 - HAZARDS IDENTIFICATION

This product does not meet the classification requirements of the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

2.2 Label Elements

This product does not meet the labeling requirements of the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

2.3 Other Hazards Which Do Not Result In Classification

Hazards Not Otherwise Classified : None Identified.

2.4 Unknown acute toxicity

100% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

100% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

100% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substance / Mixture

Substance / Mixture : Mixture

3.2 Composition

Substance name	CAS Number	% wt*	Classification
Soybean Oil	8001-22-7	60 - 100	Not classified



Part No. TSPL55GAD & TSPL275GAL (Liquid)

Print Date: 19/03/2019 Revision Date: 3/19/2019 Supersedes Date: 2/21/2019 Issue Date: 3/26/2013 Version: 3.0 (EN)-US

Trick Shot - Liquid

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4 - FIRST-AID MEASURES

4.1 **Description of First-Aid Measures**

General Measures : If exposed or concerned: Get medical advice/attention.

Inhalation : Remove person to fresh air and keep comfortable for breathing.

Skin Contact : Wash skin with plenty of water. **Eve Contact** : Rinse eyes with water as a precaution.

Ingestion : Call a poison center or a doctor if you feel unwell.

First-Aid Responder Protection : Wear adequate personal protective equipment based on the nature and severity of the emergency.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms of Exposure : None Identified.

Delayed Effects : No known delayed effects. **Immediate Effects** : No known immediate effects. Chronic Effects : No known chronic effects. **Target Organs** : None Identified.

Indication of Immediate Medical Attention and Special Treatment

Notes to Physician : Treat symptomatically. Specific Treatments/Antidotes : No Information Available.

Medical Conditions Aggravated : May aggravate personnel with pre-existing disorders associated with any of the Target Organs.

SECTION 5 - FIRE-FIGHTING MEASURES

Suitable Extinguishing Media 5.1

Extinguishing Media : Product is non-flammable. Use extinguishing media suitable for surrounding materials.

Unsuitable Media : Avoid extinguishing media unsuitable for surrounding materials.

Specific Hazards Arising from the Chemical or Mixture

Hazardous Combustion Products : Decomposition products may include: oxides of carbon, smoke, vapors. See also Section 10.6.

Specific Hazards During Firefighting : Contents are non-flammable. No known fire hazards.

Special Protective Actions for Fire-Fighters 5.3

: Use water spray to cool fire exposed containers, as contents can rupture violently from heat developed **Firefighting Instructions**

: Firemen should wear self-contained breathing apparatus with full face-piece operated in positive pressure **Protection during Firefighting**

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel : No action should be taken involving any personnel without suitable training. Evacuate surrounding areas.

Keep unnecessary and unprotected personnel from entering.

: Use personal protection as recommended in Section 8. Observe precautions provided for non-emergency For Emergency Personnel

personnel above.

6.2 **Environmental Precautions**

Environmental Precautions : Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental

contamination.

6.3 Methods and Materials for Containment and Cleaning up

: Released content may be contained with oil/solvent absorbent pads, booms, and/or absorbents. Containment Procedures

: Soak up material with inert absorbent and place in safety containers for proper disposal. **Cleanup Procedures**



Part No. TSPL55GAD & TSPL275GAL (Liquid)

Print Date: 19/03/2019 Revision Date: 3/19/2019 Supersedes Date: 2/21/2019 Issue Date: 3/26/2013 Version: 3.0 (EN)-US

Trick Shot - Liquid

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other Information : Not Available.
Prohibited Materials : Not Available.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling

General Handling Precautions: KEEP OUT OF THE REACH OF CHILDREN. Avoid prolonged or repeated skin contact.Hygiene Recommendations: Do not eat, drink or smoke when using this product. Wash hands thoroughly after use.

7.2 Conditions for Safe Storage Including Any Incompatibilities

Storage Requirements : Keep containers closed when not in use. Do not store in open or unlabelled containers.

Incompatibilities : Segregate storage away from materials indicated in Section 10.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

8.2 Exposure Controls

Engineering Measures : Use only with adequate ventilation.

Personal Protective Equipment

Eye / Face Protection : Safety glasses with side shields are recommended as a minimum for any type of industrial chemical handling.

Hand Protection : Chemical-resistant gloves, tested according to ASTMF903-17.

Remarks : Change gloves often.

Skin and Body Protection : For brief contact, no precautions other than clean body-covering clothing should be needed.

Respiratory Protection : Respiratory protection is not anticipated to be needed.

Compliance : If needed, compliance with OSHA standard 29 CFR 1910.134 is necessary.

Other Protective Equipment : Safety showers and eye-wash stations should be available in the workplace near where the material will be

used.

Environmental Exposure Controls : Avoid release to the environment.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Physical Properties			
Boiling Point	351.00 ℃	Melting / Freezing Point	-20.00 °C
Flash Point, Liquid	> 260.00 °C		
Explosive Limits	Not Available	Autoignition Temperature, Liquid	445.00 °C
Flammability	Non-Flammable Liquid	Density	0.887 g/cm³
Molecular Weight	Not Available	Weight	7.402 lbs/gal
Vapor Pressure	0.05 mm Hg	рН	Not Available
Vapor Density	Not Available	Evaporation Rate (nBAc=1)	Not Available
Viscosity	10.30 cSt (centistoke)	Partition Coefficient (Log Pow)	Not Available
Odor Threshold	Not Available	Refractive Index	Not Available
Physical State	Liquid	Heat Of Combustion	8870.00 BTU/lb
Appearance / Color	Pale yellow to brownish-yellow	Water Solubility	Not Available
Odor	Characteristic	Decomposition Temperature	Not Available

9.2 Environmental Properties			
Percent Volatile	0.00 % wt	VOC Regulatory	0.00 g/L (0.00 lbs/gal)
Percent VOC	0.00 % wt	VOC Actual	0.00 g/L (0.00 lbs/gal)
Percent HAP	0.00 % wt	HAP Content	0.00 g/L (0.00 lbs/gal)
Global Warming Potential	0.00 GWP	Maximum Incremental Reactivity	0.0000 g O3/g
Ozone Depletion Potential	0.00 ODP		



Part No. TSPL55GAD & TSPL275GAL (Liquid)

Print Date: 19/03/2019 Revision Date: 3/19/2019 Supersedes Date: 2/21/2019 Issue Date: 3/26/2013 Version: 3.0 (EN)-US

Trick Shot - Liquid

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity

Reactivity : No specific test data related to reactivity is available for this products or its ingredients.

10.2 Chemical Stability

Chemical Stability : This product is stable.

10.3 Possibility of Hazardous Reactions

Hazardous Reactions : Under normal conditions of storage and use, hazardous reactions are not expected to occur.

10.4 Conditions to Avoid

Conditions to Avoid : None Identified.

10.5 Incompatible Materials

Materials to Avoid : Strong Oxidizing Agents, Strong Reducing Agents.

10.6 Hazardous Decomposition Products

Thermal Decomposition : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Routes Of Exposure : None Identified.

Delayed and Immediate Effects and Also Chronic : See Section 4.2

Effects from Short and Long Term Exposure

Skin Corrosion/Irritation : Not classified

Eye Damage/Irritation : Not classified

Respiratory or Skin Sensitization : Not classified

Germ Cell Mutagenicity : Not classified

Reproductive Toxicity : Not classified

STOT-Single Exposure : Not classified

STOT-Repeated Exposure : Not classified

Carcinogen Data : None of the ingredients in the product are listed with EU, IARC, or NTP as being suspected or known

: Not classified

carcinogen in a concentration greater than 0.1% by weight.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Ecotoxicity and Ecological Properties

Soybean Oil (8001-22-7)		
Log Kow	22.5	
Bioacculative Potential	Not bioaccumulative.	

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Waste Disposal

Aspiration Hazard

: Although this product is non-hazardous, contamination from a variety of means is possible. Waste stream classification can change with product use and location. It is the responsibility of the user to determine the proper storage, transportation, treatment, and/or disposal methodologies for spent materials and residues at the time of disposition. All waste must be disposed of in compliance with the respective national, federal, state, and/or local regulations.



Part No. TSPL55GAD & TSPL275GAL (Liquid)

Print Date: 19/03/2019 Revision Date: 3/19/2019 Supersedes Date: 2/21/2019 Issue Date: 3/26/2013 Version: 3.0 (EN)-US

Trick Shot - Liquid

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Waste Disposal Of Packaging

: Consult with your local landfill to determine if empty small containers can be disposed of along with regular trash pickup. For disposal of large containers (typically 10 gallons or larger), or for containers not suitable for landfill, a licensed reconditioner should be used.

Landfill Precautions : Not Available.
Incineration Precautions : Not Available.

SECTION 14 - TRANSPORTATION INFORMATION

14.1	UN Number		DOT (USA)	IATA (AIR)	IMDG (OCEAN)
UN Num	ber	:	NONE	NONE	NONE
14.2	UN Proper Shipping Name		DOT (USA)	IATA (AIR)	IMDG (OCEAN)
UN Prop	er Shipping Name	:	Non-Regulated Material	Non-Regulated Material	Non-Regulated Material
14.3	Transport Hazard Class(es)		DOT (USA)	IATA (AIR)	IMDG (OCEAN)
Transpo	rt Hazard Class(es)	:	None	None	None
EmS Coo	le	:	Not Applicable	Not Applicable	Not Applicable
14.4	Packing Group		DOT (USA)	IATA (AIR)	IMDG (OCEAN)
Packing	Group	:	None	None	None
14.5	Environmental Hazards		DOT (USA)	IATA (AIR)	IMDG (OCEAN)
Marine	Pollutant	:	No	No	No
14.6	Special Precautions				
Precautions		: 1	None Identified		

: Not applicable for product as supplied

SECTION 15 - REGULATORY INFORMATION

15.1 Federal Regulations	
--------------------------	--

Transport in Bulk

SARA Section 313

: This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

TSCA Section 12(b)

14.7 Remarks

: This product or mixture is not known to contain a chemical or chemicals subject to the export notification requirements of section 12(b) of the Toxic Substances Control Act (TSCA) and 40 CFR Part 707, subpart D

CERCLA Reportable Quantity

: This product or mixture is not known to contain a chemical or chemicals subject to the release reporting requiements of section 102 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

15.2 State Regulations

California Proposition 65

: This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

State Right-to-Know Lists

: The following chemical(s) appear on one or more state RTK (Right to Know) lists as indicated

Soybean Oil (8001-22-7)

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16 - OTHER INFORMATION

Indication of changes

:	Section	Changed item	Change
	1	Product code	Modified



Part No. TSPL55GAD & TSPL275GAL (Liquid)

Print Date: 19/03/2019 Revision Date: 3/19/2019 Supersedes Date: 2/21/2019 Issue Date: 3/26/2013 Version: 3.0 (EN)-US

Trick Shot - Liquid

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1 Other Manufacturer IDs		Added
1	SDS ID	Modified
1	Other means of identification	Modified
1	Recommended Use	Modified
2.1	Hazard Class(es)	Modified
2.2	Signal word (GHS US)	Modified
2.2	Hazard pictograms (GHS US)	Added
2.2 Precautionary statements (GHS US)		Added
3	Composition/Information on ingredients	Modified

Disclaimer of Liability

The information contained herein is based upon data provided to us by our suppliers, and reflects our best judgement. However, no warranty of merchantability, fitness for any use, or any other warranty or guarantee is expressed or implied regarding the accuracy of such data, or the results to be obtained from use thereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility for the results of such application. This information is furnished upon the condition that the persons receiving it shall make their own determinations of the suitability of the material for any particular use. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist.